Volume 64
1985

AT&T TECHNICAL JOURNAL

A JOURNAL OF THE AT&T COMPANIES

EDITORIAL COMMITTEE

M. IWAMA, *Editorial Committee Chairman,*
AT&T Bell Laboratories

W. F. BRINKMAN, *Sandia National Laboratories*
H. O. BURTON, *AT&T Information Systems*
J. CHERNAK, *AT&T Bell Laboratories*
M. F. COCCA, *AT&T Bell Laboratories*
B. R. DARNALL, *AT&T Bell Laboratories*
A. FEINER, *AT&T Information Systems*
P. A. GANNON, *AT&T Network Systems*
T. J. HERR, *AT&T Network Systems*
D. M. HILL, *AT&T Technology Systems*
D. HIRSCH, *AT&T Information Systems*
S. HORING, *AT&T Bell Laboratories*
N. W. NILSON, *AT&T Technology Systems*
J. S. NOWAK, *AT&T Bell Laboratories*
L. C. SEIFERT, *AT&T Technologies*
W. E. STRICH, *AT&T Communications*
J. W. TIMKO, *AT&T Bell Laboratories*
V. A. VYSSOTSKY, *AT&T Bell Laboratories*
J. H. WEBER, *AT&T*

EDITORIAL STAFF

M. D. McILROY, *Technical Editor, Computing Science and Systems*
P. WHEELER, *Managing Editor*
L. S. GOLLER, *Assistant Editor*
A. M. SHARTS, *Assistant Editor*
B. VORCHEIMER, *Circulation*

Index and Contents

AT&T
NEW YORK

LIST OF ISSUES IN VOLUME 64

	Pages
No. 1, January	1–334
No. 2, February	335–660
No. 3, March	661–884
No. 4, April	885–1004
No. 5, May–June	1005–1146
No. 6, July–August	1147–1564
No. 7, September	1565–1773
No. 8, October	1775–1994
No. 9, November	1995–2152
No. 10, December	2153–2558

Index 3
Contents 21

Index to Volume 64

A

Abbreviations and acronyms
  5ESS™ switching system, **64** (1985) 1559–1564
  System 75, **64** (1985) 333–334
Accelerated aging, methodology of, submarine lightwave cable systems, **64** (1985) 717–764
Access protocols for broadband local area network, **64** (1985) 2449–2465
Access system, VCR-based, for large pictorial databases, **64** (1985) 2435–2447
Accumulation of Jitter: A Stochastic Model, **64** (1985) 43–76
Ackenhusen, J. G., **64** (1985) 1787–1805
Ackerman, D. A., **64** (1985) 809–860
Ackroyd, M. H., **64** (1985) 617–631
Acronyms and abbreviations
  5ESS™ switching system, **64** (1985) 1559–1564
  System 75, **64** (1985) 333–334
Adaptive equalization and space diversity in microwave digital radio, simulation study of, **64** (1985) 907–935
Administration, operations, and maintenance capabilities, *5ESS*™ switching system, **64** (1985) 1523–1536
Administrative module, *5ESS*™ switching system, **64** (1985) 1339–1356
Admission scheme, priority-based, for a multiclass queueing system, **64** (1985) 1731–1753
Aggarwal, S., **64** (1985) 2387–2411
Aging, accelerated, methodology of, submarine lightwave cable systems, **64** (1985) 717–764
Algebraic Approach to a Nonproduct Form Network, An, **64** (1985) 2505–2523
Algorithm performance, Viterbi, union bounds on, **64** (1985) 2375–2385
Algorithms for Estimation of Three-Dimensional Motion, **64** (1985) 335–346
Allen, J. B., **64** (1985) 1775–1786
Allocation, optimal resource, for two processes, **64** (1985) 1–14
Almost-Periodic Response Determination for Models of the Basilar Membrane, **64** (1985) 1775–1786
Altering or detecting data, equalization without, **64** (1985) 1885–1911
Amplitude and delay of selective fading, statistical model for, **64** (1985) 2525–2550
Amplitude modulated, M-quadrature, signals over multipath fading radio channels, baseband cross-polarization interference cancellation for, **64** (1985) 1913–1926
Analysis, approximate, of a generalized clocked schedule, **64** (1985) 597–615
Analysis of a Multistage Queue, **64** (1985) 369–390
Analysis of Clocked Schedules—High-Priority Tasks, **64** (1985) 633–660
Analysis of Laser Beam Propagation in a Turbulent Atmosphere, **64** (1985) 1585–1600
Analysis/Simulation Study of Cross-Polarization Cancellation in Dual-Polarization Digital Radio, **64** (1985) 2261–2280
Analytical computing environment, ANALYTICOL overview, **64** (1985) 1995–2007
Analytical representation, simple, of antenna spatial radiation patterns with application to the pyramidal horn-reflector antenna, **64** (1985) 1601–1624
ANALYTICOL
  ANALYTICOL—An Analytical Computing Environment, **64** (1985) 1995–2007
  Data Extraction Tools, **64** (1985) 2025–2035
  Datastream—A Language for Large Files, **64** (1985) 2037–2060
  Design of the S System for Data Analysis, **64** (1985) 2131–2151
  FE—A Multi-Interface Form System, **64** (1985) 2009–2023
  HEQS—A Hierarchical Equation Solver, **64** (1985) 2061–2096

IFS—A Tool to Build Integrated, Interactive Application Software, **64** (1985) 2097–2117
T—A Data Management System, **64** (1985) 2119–2129
Antenna, pyramidal horn-reflector simple analytical representation of antenna spatial radiation patterns with application to, **64** (1985) 1601–1624
Application of Decomposition Principle in M/G/1 Vacation Model to Two Continuum Cyclic Queueing Models—Especially Token-Ring LANs, **64** (1985) 1091–1099
Application of inverted decision tables, automating the translation of specifications to programs, **64** (1985) 533–538
Application software, integrated, interactive, interpretive frame system for building, **64** (1985) 2097–2117
Applications planning, *5ESS*™ switching system, **64** (1985) 1315–1337
Approach, algebraic, to a nonproduct form network, **64** (1985) 2505–2523
Approximate Analysis of a Generalized Clocked Schedule, **64** (1985) 597–615
Approximate representations, nonlinear input-output maps, **64** (1985) 1967–1983
Architectural overview, *5ESS*™ switching system, **64** (1985) 1339–1356
Area network, broadband local, **64** (1985) 2449–2465
Area networks, local and metropolitan, regular mesh topologies in, **64** (1985) 1659–1685
Assuring High Reliability of Lasers and Photodetectors for Submarine Lightwave Cable Systems
Implementation of the Proposed Reliability Assurance Strategy for an In/GaAsP/InP, Planar Mesa, Buried Heterostructure Laser Operating at 1.3 μm for Use in a Submarine Cable, **64** (1985) 809–860
Introduction, **64** (1985) 661–669
Methodology of Accelerated Aging, **64** (1985) 717–764
1.3-μm Laser Reliability Determination for Submarine Cable Systems, **64** (1985) 771–807
Reliability of InGaAs Photodiodes for SL Applications, **64** (1985) 861–882
Selection of a Laser Reliability Assurance Strategy for a Long-Life Application, **64** (1985) 671–715
Statistical Approach to Laser Certification, A, **64** (1985) 765–770
Astigmatic launchers, 100-GHz measurements of two, **64** (1985) 1019–1031
Auditory modeling, **64** (1985) 1775–1786
Automatic speech recognition, **64** (1985) 423–451
Automating the translation of specifications to programs, inverted decision tables and their application, **64** (1985) 533–558

B

Baker, D., **64** (1985) 175–195
Balaban, P., **64** (1985) 2525–2550
Bandwidth-Error Exchange for a Simple Fading Channel Model, **64** (1985) 1687–1704
Bandwidth, useable, and beamwidth of delay-steered microphone arrays, **64** (1985) 983–995
Baseband Cross-Polarization Interference Cancellation for M-Quadrature Amplitude Modulated Signals Over Multipath Fading Radio Channels, **64** (1985) 1913–1926
Basilar membrane, almost-periodic response determination for models of, **64** (1985) 1775–1786
Basinger, R. G., **64** (1985) 1485–1502
Bauer, H. A., **64** (1985) 1503–1522
Baxter, L. A., **64** (1985) 153–173
Beam propagation, laser, in a turbulent atmosphere, **64** (1985) 1585–1600
Beamwidth and Useable Bandwidth of Delay-Steered Microphone Arrays, **64** (1985) 983–995
Becker, R. A., **64** (1985) 2131–2151
Belanger, D. G., **64** (1985) 2025–2035
Benjamin, F., **64** (1985) 1271–1292
Bergh, A. F., **64** (1985) 1047–1063
Berkowitz, P. R., **64** (1985) 153–173
Besomi, P., **64** (1985) 1857–1884
Bias effects on digitally implemented data-driven echo cancelers, **64** (1985) 115–138
Binary Differential Detection for Coherent Lightwave Communication, On, **64** (1985) 2467–2483
Blocking When Service Is Required From Several Facilities Simultaneously, **64** (1985) 1807–1856
Borum, J. C., **64** (1985) 1417–1437
Bossard, P. R., **64** (1985) 717–764
Bounds, union, in Viterbi algorithm performance, **64** (1985) 2375–2385
Bowen, E. G., **64** (1985) 347–367
Broadband Local Area Network, A, **64** (1985) 2449–2465
Broadband network for computer commu-

nications, **64** (1985) 2449–2465
Broadband voice/data/video network on CATV systems, homenet, **64** (1985) 347–367
Broadcast facility sharing by two processes, optimal allocation for, **64** (1985) 1–14
Brown, E. F., **64** (1985) 1065–1075
Brown, M. K., **64** (1985) 937–969
Brown, R. L., **64** (1985) 1857–1884
Buckling, thermal, of dual-coated fiber, **64** (1985) 1565–1584
Budrikis, Z. L., **64** (1985) 2449–2465
Buried heterostructure, planar mesa, InGaAsP/InP laser operating at 1.3 μm for use in a submarine cable, implementation of proposed reliability assurance strategy for, **64** (1985) 809–860
Business analysis problems, use of ANALYTICOL in solving, **64** (1985) 1995–2007
Buzzard, C. A., **64** (1985) 153–173
BX.25 link layer protocol, proposed specification of, **64** (1985) 559–596
Byrne, W. R., **64** (1985) 1315–1337

C

Cable systems, submarine lightwave, assuring high reliability of lasers and photodetectors for, **64** (1985) 661–882
Cable, undersea lightguide, determination of fiber proof-test stress for, **64** (1985) 971–982
Calderbank, A. R., **64** (1985) 1005–1018
Cancellation and equalization, cross-polarization, in digital transmission over dually polarized multipath fading channels, **64** (1985) 2211–2245
Cancellation, baseband cross-polarization interference, for M-quadrature amplitude modulated signals over multipath fading radio channels, **64** (1985) 1913–1926
Cancellation, cross-polarization, in dual polarization digital radio, analysis/simulation study of, **64** (1985) 2261–2280
Cancellation, cross-polarization interference, and nonminimum phase fades, **64** (1985) 2247–2259
Canceler, in-band data-driven echo, effects of channel impairments on the performance of, **64** (1985) 91–113
Cancelers, digitally implemented data-driven echo, effects of biases on, **64** (1985) 115–138
Capabilities, traffic, of two rearrangeably nonblocking photonic switching modules, **64** (1985) 2331–2373
Carney, D. L., **64** (1985) 1339–1356
CATV systems, homenet, broadband voice/data/video network on, **64** (1985) 347–367
Causal time-invariant nonlinear maps, approximation theorem for, **64** (1985) 1967–1983
Certification of lasers for submarine lightwave cable systems, statistical approach to, **64** (1985) 765–770
Chambers, J. M., **64** (1985) 2131–2151
Chamzas, C., **64** (1985) 43–76
Chandan, H. C., **64** (1985) 971–982
Channel coding and diversity, low-complexity, for spread spectrum in indoor, wireless communication, performance of, **64** (1985) 1927–1965
Channel impairments, effects on the performance of an in-band data-driven echo canceler, **64** (1985) 91–113
Channel model, simple fading, bandwidth-error exchange for, **64** (1985) 1687–1704
Chen, F. S., **64** (1985) 861–882
Childs, C., **64** (1985) 1995–2007
Chu, T. C., **64** (1985) 971–982
Cioffi, J. M., **64** (1985) 115–138
Clarke, R. H., **64** (1985) 1585–1600
Clocked schedules
  analysis of, high-priority tasks, **64** (1985) 633–660
  generalized, approximate analysis of, **64** (1985) 597–615
  numerical computation of delays in, **64** (1985) 617–631
Cochrane, J. I., **64** (1985) 1339–1356
Coding and diversity, low-complexity channel, for spread spectrum in indoor, wireless communication, performance of, **64** (1985) 1927–1965
Coding, convolutional for high-speed microwave radio communications, **64** (1985) 1625–1637
Coherent lightwave communication, binary differential detection for, **64** (1985) 2467–2483
Coherent Lightwave Communications, **64** (1985) 2153–2209
Comments on "Integration With the 5ESS™ *Switching System," by S. A. McRoy, J. H. Miller, J. B. Truesdale, and R. W. Van Slooten,* **64** (1985) 2551–2552
Commodity distribution system, model for, **64** (1985) 1705–1730
Communications, indoor, wireless, performance of low-complexity channel cod-

ing and diversity for spread spectrum in, **64** (1985) 1927–1965
Communication of status, unintrusive, in a packet network in heavy traffic, **64** (1985) 463–479
Communication systems, coherent lightwave, **64** (1985) 2153–2209
Communications and control architecture, System 75, **64** (1985) 153–173
Communications module, *5ESS*™ switching system, **64** (1985) 1339–1356
Comparison, performance, of InGaAsP lasers emitting at 1.3 and 1.55 μm for lightwave system applications, **64** (1985) 1857–1884
Component reliability model used by AT&T Bell Laboratories, **64** (1985) 15–31
Computation, numerical, of delays in clocked schedules, **64** (1985) 617–631
Computer communications, broadband network for, **64** (1985) 2449–2465
Computer system, multiprogrammed, sojourn time distribution in, **64** (1985) 1077–1090
Computing environment, ANALYTICOL, overview, **64** (1985) 1995–2007
Computing Science and Systems, **64** (1985) 463–660
Application of Decomposition Principle in M/G/1 Vacation Model to Two Continuum Cyclic Queueing Models—Especially Token-Ring LANs, **64** (1985) 1091–1099
New Light Pen With Subpixel Accuracy, A, **64** (1985) 1065–1075
PLACE 2.0—An Interactive Program for PLL Analysis and Design, **64** (1985) 1101–1133
Sojourn Time Distribution in a Multiprogrammed Computer System, **64** (1985) 1077–1090
Computing systems, large-scale distributed, models for configuring, **64** (1985) 491–532
Conditional Response Time of the M/M/1 Processor-Sharing Queue, A, **64** (1985) 409–421
Configuring large-scale distributed computing systems, models for, **64** (1985) 491–532
Connected-digit recognition, vector quantization for, **64** (1985) 1033–1045
Continuous hidden Markov model representations, some properties of, **64** (1985) 1251–1270
Continuous mixture densities, isolated digit recognition using hidden Markov models with, **64** (1985) 1211–1234
Continuum cyclic queueing models, two, application of decomposition principle in M/G/1 modes to, especially token-ring LANs, **64** (1985) 1091–1099
Control architecture and communications, System 75, **64** (1985) 153–173
Controlled Impedance Robot Gripper, A, **64** (1985) 937–969
Convexity in the M/G/1 queue, waiting time, **64** (1985) 33–41
Convolutional Coding for High-Speed Microwave Radio Communications, **64** (1985) 1625–1637
Cooper, R. B., **64** (1985) 1091–1099
Courcoubetis, C., **64** (1985) 1–14
Criteria for the Global Existence of Functional Expansions for Input/Output Maps, **64** (1985) 1639–1658
Cross-coupled linear channels, digital transmission over, **64** (1985) 1147–1159
Cross-Polarization Cancellation and Equalization in Digital Transmission Over Dually Polarized Multipath Fading Channels, **64** (1985) 2211–2245
Cross-polarization cancellation in dual-polarization digital radio, analysis/simulation study of, **64** (1985) 2261–2280
Cross-Polarization Interference Cancellation and Nonminimum Phase Fades, **64** (1985) 2247–2259
Cross-polarization interference cancellation, baseband, for M-quadrature amplitude modulated signals over multipath fading radio channels, **64** (1985) 1913–1926
Croxall, L. M., **64** (1985) 1503–1522
Cyclic queueing models, two continuum, application of decomposition principle in M/G/1 vacation model to, especially token-ring LANs, **64** (1985) 1091–1099
Cyclotomic filters, tone location by, **64** (1985) 1161–1180

D

Data alteration or detection, equalization without, **64** (1985) 1885–1911
Data analysis, design of S system for, **64** (1985) 2131–2151
Databases, large pictorial, VCR-based access system for, **64** (1985) 2435–2447
Data communication protocols, finding errors in, **64** (1985) 2413–2433
Data communications system operating over cross-coupled linear channels, **64** (1985) 1147–1159
Data-driven echo cancelers, digitally implemented, effects of biases on, **64**

(1985) 115–138
Data-driven in-band echo canceler, effects of channel impairments on the performance of, **64** (1985) 91–113
Data Extraction Tools, **64** (1985) 2025–2035
Data files, large, datastream language for, **64** (1985) 2037–2060
Data management system, T, **64** (1985) 2119–2129
Datastream—A Language for Large Files, **64** (1985) 2037–2060
Davis, E. A., **64** (1985) 1503–1522
Decision tables, inverted, and their applications, automating the translation of specifications to programs, **64** (1985) 533–558
Decomposition principle in M/G/1 vacation model application to two continuum cyclic queueing models, especially token-ring LANs, **64** (1985) 1091–1099
Delatore, J. P., **64** (1985) 1357–1384, 1537–1558
Delay and amplitude of selective fading, statistical model for, **64** (1985) 2525–2550
Delays in clocked schedules, numerical computation of, **64** (1985) 617–631
Delay-steered microphone arrays, beamwidth and useable bandwidth of, **64** (1985) 983–995
DeMaio, D. F., **64** (1985) 597–615
Densmore, W., **64** (1985) 197–212
Derman, E., **64** (1985) 2061–2096
Design and physical architecture, System 75, **64** (1985) 175–195
Design of the S System for Data Analysis, **64** (1985) 2131–2151
Detecting or altering data, equalization without, **64** (1985) 1885–1911
Detection, binary differential, for coherent lightwave communication, **64** (1985) 2467–2483
Determination of Fiber Proof-Test Stress for Undersea Lightguide Cable, **64** (1985) 971–982
Differential detection, binary, for coherent lightwave communication, **64** (1985) 2467–2483
Digital communications system, System 75, **64** (1985) 145–334
Digitally implemented data-driven echo cancelers, effects of biases on, **64** (1985) 115–138
Digital radio
  dual-polarization, analysis/simulation study of cross-polarization cancellation in, **64** (1985) 2261–2280
  microwave, new approach to space diversity combining in, **64** (1985) 885–904
  microwave, simulation study of space diversity and adaptive equalization in, **64** (1985) 907–935
  multipath fading on microwave, **64** (1985) 2281–2317
Digital radio channels
  fading, equalization and cancellation in data transmission over dually polarized, **64** (1985) 2211–2245
  multipath, performance signatures for dual-polarized transmission of M-QAM signals over, **64** (1985) 2485–2504
Digital radio systems, fading in, **64** (1985) 2525–2550
Digital Transmission Over Cross-Coupled Linear Channels, **64** (1985) 1147–1159
Digital transmission over dually polarized multipath fading channels, cross-polarization cancellation and equalization in, **64** (1985) 2211–2245
Digit recognition, isolated, using hidden Markov models with continuous mixture densities, **64** (1985) 1211–1234
Direct distribution of pictorial databases to user VCRs via a TV broadcasting channel, **64** (1985) 2435–2447
Discrete line representation, **64** (1985) 481–490
Distance measure for hidden Markov models, probabilistic, **64** (1985) 391–408
Distance measures, several, single-frame vowel recognition using vector quantization with, **64** (1985) 2319–2330
Distributed computing systems, large-scale, models for configuring, **64** (1985) 491–532
Distribution and location model, large-scale, **64** (1985) 1705–1730
Diversity and coding, low-complexity channel, for spread spectrum in indoor, wireless communication, performance of, **64** (1985) 1927–1965
Diversity combining, space, in microwave digital radio, new approach to, **64** (1985) 885–904
Diversity, space, and adaptive equalization in microwave digital radio, simulation study of, **64** (1985) 907–935
Dixon, R. W., **64** (1985) 671–715, 809–860, 1857–1884
Doshi, B. T., **64** (1985) 369–390, 633–660
Dual-coated fiber, thermal buckling of, **64** (1985) 1565–1584
Dually polarized multipath fading channels, cross-polarization cancellation and equalization in digital transmission

over, **64** (1985) 2211–2245
Dual-polarization digital radio, analysis/simulation study of cross-polarization cancellation in, **64** (1985) 2261–2280
Dual-polarized transmission of M-QAM signals over fading multipath channels, performance signatures for, **64** (1985) 2485–2504
Dutta, N. K., **64** (1985) 809–860, 1857–1884

E

Easton, R. L., **64** (1985) 661–669
Echo canceler, in-band data-driven, effects of channel impairments on the performance of, **64** (1985) 91–113
Echo cancelers, digitally implemented, data-driven, effects of biases on, **64** (1985) 115–138
Eckler, A. R., **64** (1985) 765–770
Effects of Biases on Digitally Implemented Data-Driven Echo Cancelers, **64** (1985) 115–138
Effects of Channel Impairments on the Performance of an In-Band Data-Driven Echo Canceler, **64** (1985) 91–113
Eight-state trellis code, four-dimensional modulation with, **64** (1985) 1005–1018
Electronic equipment, infant mortality and long-term failure rate model for, **64** (1985) 15–31
Eltringham, T. F., **64** (1985) 771–807
Emissions at 1.3 and 1.55 μm of InGaAsP lasers for lightwave system application, performance comparison of, **64** (1985) 1857–1884
Eng, K. Y., **64** (1985) 2435–2447
Equalization, adaptive, and space diversity in microwave digital radio, simulation study of, **64** (1985) 907–935
Equalization and cancellation, cross-polarization, in digital transmission over dually polarized multipath fading channels, **64** (1985) 2211–2245
Equalizing Without Altering or Detecting Data, **64** (1985) 1885–1911
Equation solver, hierarchical, HEQS, **64** (1985) 2061–2096
Errata to AT&T Bell Lab. Tech. J. **63** (1984), **64** (1985) 1145
Error, bandwidth, exchange for a simple fading channel model, **64** (1985) 1687–1704
Errors in data communication protocols, finding of, **64** (1985) 2413–2433
Estimation, maximum-likelihood, for mixture multivariate stochastic observations of Markov chains, **64** (1985) 1235–1249
Estimation of three-dimensional motion, algorithms for, **64** (1985) 335–346
Expansions
  functional, for input/output maps, criteria for the global existence of, **64** (1985) 1639–1658
  nonlocal input/output, **64** (1985) 77–90
Experimental home terminal, VCR-based, for access to large pictorial databases, **64** (1985) 2435–2447
Extracting data, tools for, **64** (1985) 2025–2035

F

Factory system testing, *5ESS*™ switching system, **64** (1985) 1537–1558
Fades, nonminimum phase, and cross-polarization interference cancellation, **64** (1985) 2247–2259
Fading channel model, simple, bandwidth-error exchange for, **64** (1985) 1687–1704
Fading channels, dually polarized multipath, cross-polarization cancellation and equalization in digital transmission over, **64** (1985) 2211–2245
Fading microwave radio channels, multipath, laboratory simulation facility for, **64** (1985) 2281–2317
Fading multipath channels, performance signatures for dual-polarized transmission on M-QAM signals over, **64** (1985) 2485–2504
Fading, selective, statistical model for amplitude and delay of, **64** (1985) 2525–2550
Failure probabilities of electronic components, models and techniques for predicting, **64** (1985) 15–31
Farrell, B. L., **64** (1985) 597–615
FE—A Multi-Interface Form System, **64** (1985) 2009–2023
Feature measurement for LPC-based speech recognition, single-chip implementation of, **64** (1985) 1787–1805
Feiner, A., **64** (1985) 145–151
Fiber, dual-coated, thermal buckling of, **64** (1985) 1565–1584
Fiber strength requirements for undersea lightguide cable, determination of, **64** (1985) 971–982
Field experience, early, system test, and first-office application, *5ESS*™ switching system, **64** (1985) 1503–1522
File transfer protocol, new, **64** (1985)

2387–2411
Filters, cyclotomic, tone location by, **64** (1985) 1161–1180
Financial and modeling studies, use of ANALYTICOL for performing, **64** (1985) 1995–2007
Finding errors in data communication protocols, **64** (1985) 2413–2433
First-office application, system test, and early field experience, *5ESS*™ switching system, **64** (1985) 1503–1522
5ESS Switching System, The:
Acronyms and Abbreviations, **64** (1985) 1559–1564
Applications Planning, **64** (1985) 1315–1337
Architectural Overview, **64** (1985) 1339–1356
Factory System Testing, **64** (1985) 1537–1558
Hardware Design, **64** (1985) 1417–1437
Introduction, **64** (1985) 1305–1314
Maintenance Capabilities, **64** (1985) 1385–1416
Operational Software, **64** (1985) 1357–1384
Operations, Administration, and Maintenance Capabilities, **64** (1985) 1523–1536
Physical Design/Hardware, **64** (1985) 1439–1483
System Development Environment, **64** (1985) 1485–1502
System Test, First-Office Application, and Early Field Experience, **64** (1985) 1503–1522
Flanagan, J. L., **64** (1985) 983–995
Fong, K. T., **64** (1985) 251–268
Form editor system, multi-interface, **64** (1985) 2009–2023
Foschini, G. J., **64** (1985) 463–479, 1885–1911
Four-Dimensional Modulation With an Eight-State Trellis Code, **64** (1985) 1005–1018
Fraley, P. E., **64** (1985) 771–807
Frame network for integrated, interactive application software, interpretive frame system, **64** (1985) 2097–2117
Frank, R. J., **64** (1985) 1357–1384
Fredericks, A. A., **64** (1985) 597–615
Frisch, H. D., **64** (1985) 175–195
FTP *See* File transfer protocol
Fuhrer, P. T. **64** (1985) 1523–1536
Fuhrmann, S. W., **64** (1985) 1091–1099
Functional expansions for input/output maps, criteria for the global existence of, **64** (1985) 1639–1658

G

GAMUT, message utility system for automatic testing, System 75, **64** (1985) 305–320
Gavish, B., **64** (1985) 491–532
Generalized clocked schedule, approximate analysis of, **64** (1985) 597–615
Geosynchronous arc satellite communication, multiple-beam earth station antennas with astigmatic launchers for, **64** (1985) 1019–1031
Gitten, L. J., **64** (1985) 1339–1356, 1523–1536
Glinski, S. C., **64** (1985) 1033–1045
Global existence of functional expansions for input/output maps, criteria for, **64** (1985) 1639–1658
Gopinath, B., **64** (1985) 2387–2411
Gordon, E. I., **64** (1985) 671–715
Graff, F. N., Jr., **64** (1985) 1439–1483
Graphics and interactive data analysis, S language and system for, **64** (1985) 2131–2151
Graphics displays, light pen with subpixel accuracy for, **64** (1985) 1065–1075
Greenstein, L. J., **64** (1985) 885–904, 907–935, 2261–2280
Grimes, C., **64** (1985) 2435–2447
Gripper, controlled impedance robot, **64** (1985) 937–969

H

Hakki, B. W., **64** (1985) 771–807
Hardware design, *5ESS*™ switching system, **64** (1985) 1417–1437
Hardware, physical design, *5ESS*™ switching system, **64** (1985) 1439–1483
Hartman, R. L., **64** (1985) 661–669, 671–715, 717–764, 809–860
Haskell, B. G., **64** (1985) 2435–2447
Hatamian, M., **64** (1985) 347–367, 1065–1075
Haugk, G., **64** (1985) 1385–1416
Heavy traffic, unintrusive communication of status in a packet network in, **64** (1985) 463–479
HEQS—A Hierarchical Equation Solver, **64** (1985) 2061–2096
Herndon, J. A., **64** (1985) 1485–1502
Hertz, D., **64** (1985) 1161–1180
Heterostructure, buried, planar mesa, InGaAsP/InP laser operating at 1.3 μm for use in a submarine cable, implementation of proposed reliability assurance strategy for, **64** (1985) 809–860
Hidden Markov model representations, con-

tinuous, some properties of, **64** (1985) 1251–1270
Hidden Markov models
probabilistic distance measure for, **64** (1985) 391–408
with continuous mixture densities, isolated digit recognition using, **64** (1985) 1211–1234
Hierarchical data management system, T, **64** (1985) 2119–2129
Hierarchical equation solver, HEQS, **64** (1985) 2061–2096
High-priority tasks, analysis of clocked schedules, **64** (1985) 633–660
High reliability of lasers and photodetectors for submarine lightwave cable systems, assuring, **64** (1985) 661–882
High-speed microwave radio communications, convolutional coding for, **64** (1985) 1625–1637
High-volume sources, data extraction from, **64** (1985) 2025–2035
HMM *See* Hidden Markov models
Hoffman, H. H., **64** (1985) 2281–2317
Holcomb, D. P., **64** (1985) 15–31
Holzmann, G. J., **64** (1985) 2413–2433
Homenet: A Broadband Voice/Data/Video Network on CATV Systems, **64** (1985) 347–367
Home VCRs, distributing large pictorial databases to, **64** (1985) 2435–2447
Horenkamp, J. J., **64** (1985) 153–173
Horn-reflector antenna, pyramidal, simple analytical representation of antenna spatial radiation patterns with application to, **64** (1985) 1601–1624

I

IFS—A Tool to Build Integrated, Interactive Application Software, **64** (1985) 2097–2117
Impairments, channel, effects on the performance of an in-band data-driven echo canceler, **64** (1985) 91–113
Implementation of the proposed reliability assurance strategy for an InGaAsP/InP, planar mesa, buried heterostructure laser operating at 1.3 μm for use in a submarine cable, **64** (1985) 809–860
Implementation, single-chip, of future measurement for LPC-based speech recognition, **64** (1985) 1787–1805
Improving sound pickup in large rooms, automatic, electronic steering of microphone arrays for, **64** (1985) 983–995
In-band data-driven echo canceler, effects of channel impairments on the performance of, **64** (1985) 91–113
Incorporation of Temporal Structure Into a Vector-Quantization-Based Preprocessor for Speaker-Independent, Isolated-Word Recognition, **64** (1985) 1047–1063
Indoor wireless communication
performance of low-complexity channel coding and diversity for spread spectrum in, **64** (1985) 1927–1965
performance of nondiversity receivers for spread spectrum in, **64** (1985) 1181–1210
Inequalities, Laplace transform, with application to queueing, **64** (1985) 1755–1764
Infant Mortality and Long-Term Failure Rate Model for Electronic Equipment, An, **64** (1985) 15–31
InGaAs photodiodes for SL applications, reliability of, submarine lightwave cable systems, **64** (1985) 861–882
InGaAsP/InP, planar mesa, buried heterostructure laser operating at 1.3 μm for use in a submarine cable, implementation of proposed reliability assurance strategy for, **64** (1985) 809–860
InGaAsP lasers emitting at 1.3 and 1.55 μm for lightwave system applications, performance comparison of, **64** (1985) 1857–1884
Input-output expansions, nonlocal, **64** (1985) 77–90
Input-output maps
criteria for the global existence of functional expansions for, **64** (1985) 1639–1658
nonlinear, and approximate representations, **64** (1985) 1967–1983
Integrated, interactive application software, interpretive frame system for building, **64** (1985) 2097–2117
"Integration With the *5ESS*™ Switching System," comments on, **64** (1985) 2551–2552
Interactive data analysis and graphics, S language and system for, **64** (1985) 2131–2151
Interactive, intergrated application software, interpretive frame system for building, **64** (1985) 2097–2117
Interactive program for PLL analysis and design, PLACE 2.0, **64** (1985) 1101–1133
Interactive video services, VCR-based information system to provide, **64** (1985) 2435–2447

Interference cancellation
baseband cross-polarization, for M-quadrature amplitude modulated signals over multipath fading radio channels, **64** (1985) 1913–1926
cross-polarization, and nonminimum phase fades, **64** (1985) 2247–2259
Intermediate-size business office communication system, System 75, **64** (1985) 145–334
Interpretive frame system, a tool to build integrated, interactive application software, **64** (1985) 2097–2117
Introduction
and overview, System 75, **64** (1985) 145–151
5ESS™ switching system, **64** (1985) 1305–1314
reliability assurance of lasers and photodetectors for submarine lightwave cable systems, **64** (1985) 661–669
Introduction activities and results, System 75, **64** (1985) 321–332
Isolated digit recognition using hidden Markov models with continuous mixture densities, **64** (1985) 1211–1234
Isolated-word recognition, speaker-independent, incorporation of temporal structure into a vector-quantization-based preprocessor for, **64** (1985) 1047–1063
Isolated-word-recognition systems, use of vector quantization in, **64** (1985) 1033–1045
Inverted Decision Tables and Their Application: Automating the Translation of Specifications to Programs, **64** (1985) 533–558

J

Jagerman, D. L., **64** (1985) 33–41, 409–421, 1755–1764
Jakubek, R. J., **64** (1985) 197–212
Janik, J., Jr., **64** (1985) 1417–1437
Jeschke, C. E, **64** (1985) 1439–1483
Jitter, stochastic model for accumulation of, **64** (1985) 43–76
Job management operations system, JMOS, application software module development, **64** (1985) 533–558
Joyce, W. B., **64** (1985) 671–715, 717–764
Juang, B.-H., **64** (1985) 391–408, 1211–1234, 1235–1249, 1251–1270

K

Kaskey, B., **64** (1985) 1485–1502
Kavehrad, M., **64** (1985) 1181–1210, 1625–1637, 1913–1926, 1927–1965, 2211–2245, 2247–2259, 2485–2504
Kennedy, T. S., **64** (1985) 269–285
Kintala, C. M. R., **64** (1985) 2025–2035
Klincewicz, J. G., **64** (1985) 1705–1730
Komp, C. R., **64** (1985) 1439–1483
Kurshan, R. P., **64** (1985) 559–596, 1161–1180

L

Laboratory Simulation Facility for Multipath Fading Microwave Radio Channels, A, **64** (1985) 2281–2317
Lake, C. J., **64** (1985) 305–320
Language for large files, datastream, **64** (1985) 2037–2060
LANs, token-ring, application of decomposition principle in M/G/1 vacation model to two continuum cyclic queueing models, **64** (1985) 1091–1099
Laplace Transform Inequalities With Application to Queueing, **64** (1985) 1755–1764
Large customer populations, automatic recognition telephone-quality speech from, **64** (1985) 423–451
Large data files, datastream language for, **64** (1985) 2037–2060
Large pictorial databases, VCR-based access system for, **64** (1985) 2435–2447
Large-scale distributed computing systems, models for configuring, **64** (1985) 491–532
Large-Scale Distribution and Location Model, A, **64** (1985) 1705–1730
Laser beam propagation in a turbulent atmosphere, analysis of, **64** (1985) 1585–1600
Laser certification, statistical approach to, submarine lightwave cable systems, **64** (1985) 765–770
Laser, 1.3-μm, reliability determination for submarine cable systems, **64** (1985) 771–807
Laser phase noise, effects on performance of coherent lightwave communication systems, **64** (1985) 2153–2209
Laser reliability assurance strategy for a long-life application, selection of, submarine lightwave cable systems, **64** (1985) 671–715
Lasers and photodetectors for submarine lightwave cable systems
assuring high reliability of, **64** (1985) 661–882
methodology of accelerated aging for, **64**

(1985) 717–764
Lasers, InGaAsP, emitting at 1.3 and 1.55 μm for lightwave system applications, performance comparison of, **64** (1985) 1857–1884
Launchers, two astigmatic, 100-GHz measurements of, **64** (1985) 1019–1031
Lax, F. M., **64** (1985) 1385–1416
Lenahan, T. A., **64** (1985) 1565–1584
Letter to the Editor, **64** (1985) 2551–2552
Levinson, S. E., **64** (1985) 1211–1234, 1251–1270
Levy, L. S., **64** (1985) 533–558
Lightguide cable, undersea, determination of fiber proof-test stress for, **64** (1985) 971–982
Light pen with subpixel accuracy, new, **64** (1985) 1065–1075
Lightwave cable systems, submarine, assuring high reliability of lasers and photodetectors for, **64** (1985) 661–882
Lightwave communication, coherent, binary differential detection for, **64** (1985) 2467–2483
Lightwave communications, coherent, **64** (1985) 2153–2209
Lightwave system applications, performance comparison of InGaAsP lasers emitting at 1.3 and 1.55 μm for, **64** (1985) 1857–1884
Lindenmulder, C. R., **64** (1985) 175–195
Lindner, J. A., **64** (1985) 1485–1502
Linear channels, cross-coupled, digital transmission over, **64** (1985) 1147–1159
Linear predictive coding *See* LPC
Lines, note on discrete representation of, **64** (1985) 481–490
Link layer protocol, proposed specification of BX.25, **64** (1985) 559–596
Liou, K.-Y., **64** (1985) 717–764
Local and metropolitan area networks, regular mesh topologies in, **64** (1985) 1659–1685
Local area network, broadband, **64** (1985) 2449–2465
Local, toll, private networks, and standalone applications of *5ESS*™ switching system, **64** (1985) 1305–1558
Location and distribution model, large-scale, **64** (1985) 1705–1730
Logan, B. F., Jr., **64** (1985) 1687–1704
Long-life application, selection of a laser reliability assurance strategy for, submarine lightwave cable systems, **64** (1985) 671–715
Long-term failure rate and infant mortality model for electronic equipment, **64** (1985) 15–31
Loverde, A. S., **64** (1985) 175–195
Low-complexity channel coding and diversity for spread spectrum in indoor, wireless communication, performance of, **64** (1985) 1927–1965
LPC-based speech recognition, single-chip implementation of feature measurement for, **64** (1985) 1787–1805
Lu, K. S., **64** (1985) 229–249

M

Maintenance architecture, System 75, **64** (1985) 229–249
Maintenance capabilities, *5ESS*™ switching system, **64** (1985) 1385–1416
Maintenance, operations, and administration capabilities, *5ESS*™ switching system, **64** (1985) 1523–1536
Malah, D., **64** (1985) 1161–1180
Maps
  input/output, criteria for the global existence of functional expansions for, **64** (1985) 1639–1658
  nonlinear input-output, and approximate representations, **64** (1985) 1967–1983
Marketing System 75, **64** (1985) 321–332
Markov chains, maximum-likelihood estimation for mixture multivariate stochastic observations of, **64** (1985) 1235–1249
Markov model representations, continuous hidden, some properties of, **64** (1985) 1251–1270
Markov models, hidden
  probabilistic distance measure for, **64** (1985) 391–408
  with continuous mixture densities, isolated digit recognition using, **64** (1985) 1211–1234
Martersteck, K. E., **64** (1985) 1305–1314
Maxemchuk, N. F., **64** (1985) 1659–1685
Maximum-Likelihood Estimation for Mixture Multivariate Stochastic Observations of Markov Chains, **64** (1985) 1235–1249
Mazo, J. E., **64** (1985) 2467–2483
McFarland, M. A., **64** (1985) 321–332
McIlroy, M. D., **64** (1985) 481–490
McLane, P. J., **64** (1985) 1927–1965
Meacham, C. R., **64** (1985) 1995–2007
Measurement, feature, for LPC-based speech recognition, single-chip implementation of, **64** (1985) 1787–1805
Measurements, 100-GHz, of two astigmatic launchers, **64** (1985) 1019–1031
Measure, probabilistic distance, for hidden

Markov models, **64** (1985) 391–408
Melamed, A. S., **64** (1985) 213–228
Melber, J. A., **64** (1985) 251–268
Mesh networks for local and metropolitan areas, **64** (1985) 1659–1685
Message utility system for automatic testing, GAMUT, System 75, **64** (1985) 305–320
Methodology of accelerated aging, submarine lightwave cable systems, **64** (1985) 717–764
Metropolitan and local networks, regular mesh topologies in, **64** (1985) 1659–1685
Metz, R. F., **64** (1985) 1417–1437
M/G/1 queue, waiting time
application of Laplace transform to, **64** (1985) 1755–1764
convexity in, **64** (1985) 33–41
M/G/1 vacation model, application of decomposition principle to two continuum cyclic queueing models, especially token-ring LANs, **64** (1985) 1091–1099
Microphone arrays, delay-steered, beamwidth and useable bandwith of, **64** (1985) 983–995
Microwave digital radio
new approach to space diversity combining in, **64** (1985) 885–904
simulation study of space diversity and adaptive equalization in, **64** (1985) 907–935
Microwave digital radio receivers, dual-polarization, theoretical study of cross-polarization cancellation in, **64** (1985) 2261–2280
Microwave radio channels, multipath fading, laboratory simulation facility for, **64** (1985) 2281–2317
Microwave radio communications, high-speed, convolutional coding for, **64** (1985) 1625–1637
Miller, J. A., **64** (1985) 321–332
Milner, J. M., **64** (1985) 1485–1502
Miracle, M. J., **64** (1985) 197–212
Mixture multivariate stochastic observations of Markov chains, maximum-likelihood estimation for, **64** (1985) 1235–1249
M/M/1 processor-sharing queue, conditional response time of, **64** (1985) 409–421
Model
for multicommodity distribution system, **64** (1985) 1705–1730
long-term failure rate and infant mortality, for electronic equipment, **64** (1985) 15–31
of blocking probabilities for simultaneous service from several multiserver facilities, **64** (1985) 1807–1856
statistical, for amplitude and delay of selective fading, **64** (1985) 2525–2550
stochastic, for accumulation of jitter, **64** (1985) 43–76
Modeling and financial studies, use of ANALYTICOL for performing, **64** (1985) 1995–2007
Models for Configuring Large-Scale Distributed Computing Systems, **64** (1985) 491–532
Models of the basilar membrane, almost-periodic response determination for, **64** (1985) 1775–1786
Modulation, four-dimensional, with an eight-state trellis code, **64** (1985) 1005–1018
Mortality, infant, and long-term failure rate model for electronic equipment, **64** (1985) 15–31
Motion, three-dimensional, algorithms for estimation of, **64** (1985) 335–346
M-QAM *See also* M-quadrature amplitude modulated
M-QAM radio systems, self-orthogonal convolutional code for, **64** (1985) 1625–1637
M-QAM signals over fading multipath channels, performance signatures for dual-polarized transmission of, **64** (1985) 2485–2504
M-quadrature amplitude modulated signals over multipath fading radio channels, baseband cross-polarization interference cancellation for, **64** (1985) 1913–1926
μ-law PCM speech, variable-length packetization of, **64** (1985) 1271–1292
Multiclass queueing system, priority-based admission scheme for, **64** (1985) 1731–1753
Multicommodity distribution system, model for, **64** (1985) 1705–1730
Multi-interface form system, FE, **64** (1985) 2009–2023
Multipath digital radio channels, performance signatures for dual-polarized transmission of M-QAM signals over, **64** (1985) 2485–2504
Multipath fading channels, dually polarized, cross-polarization cancellation and equalization in digital transmission over, **64** (1985) 2211–2245
Multipath fading in digital radio systems, **64** (1985) 2525–2550
Multipath fading in microwave digital radio, use of space diversity and adaptive

equalization to counter, **64** (1985) 907–935
Multipath fading microwave radio channels, laboratory simulation facility for, **64** (1985) 2281–2317
Multipath fading radio channels, baseband cross-polarization interference cancellation for M-quadrature amplitude modulated signals over, **64** (1985) 1913–1926
Multiple-beam earth station antenna with astigmatic launchers, ability to communicate with all satellites along the geosynchronous arc, **64** (1985) 1019–1031
Multiprogrammed computer system, sojourn time distribution in, **64** (1985) 1077–1090
Multiserver facilities, several, blocking system for, **64** (1985) 1807–1856
Multistage queue, analysis of, **64** (1985) 369–390
Multivariate, mixture, stochastic observations of Markov chains, maximum-likelihood estimation for, **64** (1985) 1235–1249

N

Nash, F. R., **64** (1985) 661–669, 671–715, 717–764, 809–860
Nelson, R. J., **64** (1985) 1857–1884
Netravali, A. N., **64** (1985) 335–346, 2449–2465
Network
  broadband local area, **64** (1985) 2449–2465
  broadband voice/data/video, on CATV systems, homenet, **64** (1985) 347–367
  nonproduct form, algebraic approach to, **64** (1985) 2505–2523
  packet, in heavy traffic, unintrusive communication of status in, **64** (1985) 463–479
Network planning using the *5ESS*™ switching system, **64** (1985) 1315–1337
Networks, local and metropolitan area, regular mesh topologies in, **64** (1985) 1659–1685
Nevis, B. E., **64** (1985) 1439–1483
New Approach to Space Diversity Combining in Microwave Digital Radio, A, **64** (1985) 885–904
New File Transfer Protocol, A, **64** (1985) 2387–2411
New Light Pen With Subpixel Accuracy, A, **64** (1985) 1065–1075
Newman, B. A., **64** (1985) 1523–1536
Nonblocking photonic switching modules, two rearrangeably, traffic capabilities of, **64** (1985) 2331–2373
Nondiversity receivers for spread spectrum in indoor wireless communications, performance of, **64** (1985) 1181–1210
Nonlinear Input-Output Maps and Approximate Representations, **64** (1985) 1967–1983
Nonlocal Input-Output Expansions, **64** (1985) 77–90
Nonminimum phase fades and cross-polarization interference cancellation, **64** (1985) 2247–2259
Nonproduct form network, algebraic approach to, **64** (1985) 2505–2523
North, J. C., **64** (1985) 15–31
Note on Discrete Representation of Lines, A, **64** (1985) 481–490
Numerical Computation of Delays in Clocked Schedules, **64** (1985) 617–631

O

Oehring, H., **64** (1985) 1357–1384
Oh, Y. H., **64** (1985) 1787–1805
1.3- and 1.55-μm emissions of InGaAsP lasers for lightwave system applications, performance comparison of, **64** (1985) 1857–1884
1.3-μm laser reliability determination for submarine cable systems, **64** (1985) 771–807
100-GHz Measurements of Two Astigmatic Launchers, **64** (1985) 1019–1031
Operational software, *5ESS*™ switching system, **64** (1985) 1357–1384
Operations, administration, and maintenance capabilities, *5ESS*™ switching system, **64** (1985) 1523–1536
Optical fiber communications, coherent, **64** (1985) 2153–2209
Optical fiber submarine cable system, transatlantic TAT-8, **64** (1985) 661–682
Optical fiber voice and data communication systems, photonic switching for, **64** (1985) 2331–2373
Optical fibers, dual coated, thermal buckling of, **64** (1985) 1565–1584
Optimal Resource Allocation for Two Processes, **64** (1985) 1–14
O'Reilly, G. P., **64** (1985) 1315–1337
Oryx/Pecos operating system, System 75, **64** (1985) 251–268
Overview, ANALYTICOL, an analytical computing environment, **64** (1985) 1995–2007

P

Packetization, variable-length, of μ-law PCM speech, **64** (1985) 1271–1292

Packet network in heavy traffic, unintrusive communication of status in, **64** (1985) 463–479

Panankar, P. A., **64** (1985) 2551–2552

Pawlek, J. R., **64** (1985) 809–860

PCM speech, μ-law, variable-length packetization of, **64** (1985) 1271–1292

Pecos/Oryx operating system, System 75, **64** (1985) 251–268

Pedersen, T. J., **64** (1985) 287–304

Pen, new light, with subpixel accuracy, **64** (1985) 1065–1075

Peoples, J. T., **64** (1985) 1161–1180

Performance Comparison of InGaAsP Lasers Emitting at 1.3 and 1.55 μm for Lightwave System Applications, **64** (1985) 1857–1884

Performance of an in-band data-driven echo canceler, effects of channel impairments on, **64** (1985) 91–113

Performance of Low-Complexity Channel Coding and Diversity for Spread Spectrum in Indoor, Wireless Communication, **64** (1985) 1927–1965

Performance of Nondiversity Receivers for Spread Spectrum in Indoor Wireless Communications, **64** (1985) 1181–1210

Performance Signatures for Dual-Polarized Transmission of M-QAM Signals Over Fading Multipath Channels, **64** (1985) 2485–2504

Pezzutti, D. A., **64** (1985) 269–285

Phase fades, nonminimum, and cross-polarization interference cancellation, **64** (1985) 2247–2259

Phase locked loop *See* PLL

Phase locked loop analysis and circuit emulation *See* PLACE

Photodetectors and lasers for submarine lightwave cable systems, assuring high reliability of, **64** (1985) 661–882

Photodiodes, InGaAs, for SL applications, reliability of, submarine lightwave cable systems, **64** (1985) 861–882

Photonic switching modules, two rearrangeably nonblocking, traffic capabilities of, **64** (1985) 2331–2373

Physical architecture and design, System 75, **64** (1985) 175–195

Physical design/hardware, *5ESS*™ switching system, **64** (1985) 1439–1483

Pictorial databases, large, VCR-based access system for, **64** (1985) 2435–2447

PLACE 2.0–An Interactive Program for PLL Analysis and Design, **64** (1985) 1101–1133

Planar mesa, buried heterostructure, InGaAsP/InP laser operating at 1.3 μm for use in a submarine cable, implementation of proposed reliability assurance strategy for, **64** (1985) 809–860

PLL analysis and design, PLACE 2.0 interactive program for, **64** (1985) 1101–1133

Polarized, dually, multipath fading channels, cross-polarization cancellation and equalization in digital transmission over, **64** (1985) 2211–2245

Prell, E. M., **64** (1985) 1339–1356

Preprocessor, vector-quantization-based, for speaker-independent, isolated-word recognition, incorporation of temporal structure into, **64** (1985) 1047–1063

Price, J. D., **64** (1985) 229–249

Prichard, R. M., Jr., **64** (1985) 2009–2023

Priority-Based Admission Scheme for a Multiclass Queueing System, A, **64** (1985) 1731–1753

Private networks, local, toll, and standalone applications of *5ESS*™ switching system, **64** (1985) 1305–1558

Probabilistic Distance Measure for Hidden Markov Models, A, **64** (1985) 391–408

Processor-sharing queue, M/M/1, conditional response time of, **64** (1985) 409–421

Programs, automating the translation of specifications to, inverted decision tables and their application, **64** (1985) 533–558

Project development environment, System 75, **64** (1985) 269–285

Proof-test stress, fiber, for undersea lightguide cable, determination of, **64** (1985) 971–982

Propagation of laser beams in a turbulent atmosphere, **64** (1985) 1585–1600

Properties of continuous hidden Markov model representations, some, **64** (1985) 1251–1270

Proposed reliability assurance strategy implementation for a 1.3-μm laser for use in a submarine cable, **64** (1985) 809–860

Proposed Specification of BX.25 Link Layer Protocol, **64** (1985) 559–596

Protocol, BX.25 link layer, proposed specification of, **64** (1985) 559–596

Protocol tracing method for finding design errors, **64** (1985) 2413–2433

Protocols, access, for broadband local area network, **64** (1985) 2449–2465
Pulse code modulation *See* PCM
Pyramidal horn-reflector antenna, simple analytical representation of antenna spatial radiation patterns with application to, **64** (1985) 1601–1624

Q

Quantization, vector, with several distance measures, single-frame vowel recognition using, **64** (1985) 2319–2330
Queue
M/G/1, waiting time convexity in, **64** (1985) 33–41
M/M/1 processor-sharing, conditional response time of, **64** (1985) 409–421
multistage, analysis of, **64** (1985) 369–390
Queueing, Laplace transform inequalities with application to, **64** (1985) 1755–1764
Queueing models, two continuum cyclic, application of decomposition principle in M/G/1 vacation model to, especially token-ring LANs, **64** (1985) 1091–1099
Queueing networks, nonproduct form, **64** (1985) 2505–2523
Queueing system, multiclass, priority-based admission scheme for, **64** (1985) 1731–1753
Queue waiting time, **64** (1985) 33–41

R

Rabiner, L. R., **64** (1985) 391–408, 1047–1063, 1211–1234, 1251–1270, 2319–2330
Radiation patterns, antenna spatial, with application to the pyramidal horn-reflector antenna, simple analytical representation of, **64** (1985) 1601–1624
Radio channels
fading, equalization and cancellation in digital data transmission over dually polarized, **64** (1985) 2211–2245
multipath fading, baseband cross-polarization interference cancellation for M-quadrature amplitude modulated signals over, **64** (1985) 1913–1926
multipath fading microwave, laboratory simulation facility for, **64** (1985) 2281–2317
Radio communications, high-speed microwave, convolutional coding for, **64** (1985) 1625–1637
Radio, microwave digital
new approach to space diversity combining in, **64** (1985) 885–904
simulation study of space diversity and adaptive equalization in, **64** (1985) 907–935
Rashke, K. A., **64** (1985) 2551–2552
Rearrangeably nonblocking photonic switching modules, two, traffic capabilities of, **64** (1985) 2331–2373
Receivers, nondiversity, for spread spectrum in indoor wireless communications, performance of, **64** (1985) 1181–1210
Recognition, automatic, of telephone-quality speech from large customer populations, **64** (1985) 423–451
Recognition, connected-digit, vector quantization for, **64** (1985) 1033–1045
Recognition of Isolated Digits Using Hidden Markov Models With Continuous Mixture Densities, **64** (1985) 1211–1234
Rege, K. M., **64** (1985) 369–390, 1077–1090, 1731–1753
Regenerative repeaters, accumulation of jitter in a chain of, **64** (1985) 43–76
Regular Mesh Topologies in Local and Metropolitan Area Networks, **64** (1985) 1659–1685
Reisner, G. A., **64** (1985) 213–228
Reliability assurance of lasers and photodetectors for submarine lightwave cable systems, **64** (1985) 661–882
Reliability assurance selection strategy, laser, for a long-life application, submarine lightwave cable systems, **64** (1985) 671–715
Reliability assurance strategy implementation, proposed, for a 1.3-μm laser for use in a submarine cable, **64** (1985) 809–860
Reliability determination for submarine cable systems, 1.3-μm laser, **64** (1985) 771–807
Reliability of InGaAs photodiodes for SL applications, submarine lightwave cable systems, **64** (1985) 861–882
Reliability prediction for electronic equipment, **64** (1985) 15–31
Representation theory for input/output maps, **64** (1985) 1639–1658
Resource allocation for two processes, optimal, **64** (1985) 1–14
Response determination, almost-periodic, for models of the basilar membrane, **64** (1985) 1775–1786
Response time, conditional, of the M/M/1 processor-sharing queue, **64** (1985)

409–421
Ritacco, J. E., **64** (1985) 287–304
Robot gripper, controlled impedance, **64** (1985) 937–969
Rodriguez, E. J., **64** (1985) 145–151
Roman, R. S., **64** (1985) 2281–2317
Royer, R. D., **64** (1985) 1385–1416
Russell, J., **64** (1985) 1417–1437
Rustako, A. J., Jr., **64** (1985) 2281–2317

S

Sabnani, K., **64** (1985) 2387–2411
Sager, G. R., **64** (1985) 251–268
Salz, J., **64** (1985) 335–346, 1147–1159, 2153–2209, 2211–2245
Sandberg, I. W., **64** (1985) 77–90, 1639–1658, 1775–1786, 1967–1983
Santillo, J. A., **64** (1985) 287–304
Saul, R. H., **64** (1985) 861–882
Saunders, J. H., **64** (1985) 1101–1133
Schedules
  analysis of clocked, high-priority tasks, **64** (1985) 633–660
  clocked, numerical computation of delays in, **64** (1985) 617–631
  generalized clocked, approximate analysis of, **64** (1985) 597–615
Selection of a laser reliability assurance strategy for a long-life application, submarine lightwave cable systems, **64** (1985) 671–715
Selective fading, statistical model for amplitude and delay of, **64** (1985) 2525–2550
Semplak, R. A., **64** (1985) 1019–1031
Sengupta, B., **64** (1985) 409–421, 1077–1090, 1731–1753
Service, simultaneous, from several facilities, blocking system for, **64** (1985) 1807–1856
Shanley, J. J., **64** (1985) 305–320
Shapira, J., **64** (1985) 1601–1624
Sheppard, E. G., **64** (1985) 2061–2096
Shumate, R. W., Jr., **64** (1985) 861–882
Signal equalization, **64** (1985) 1885–1911
Signatures, performance, for dual-polarized transmission of M-QAM signals over fading multipath channels, **64** (1985) 2485–2504
Siller, C. A., Jr., **64** (1985) 2485–2504
Silverstein, S. M., **64** (1985) 305–320
Simple Analytical Representation of Antenna Spatial Radiation Patterns With Application to the Pyramidal Horn-Reflector Antenna, **64** (1985) 1601–1624
Simple fading channel model, bandwidth-error exchange for, **64** (1985) 1687–1704
Simulation/analysis study of cross-polarization cancellation in dual-polarization digital radio, **64** (1985) 2261–2280
Simulation facility, laboratory, for multipath fading microwave radio channels, **64** (1985) 2281–2317
Simulation Study of Space Diversity and Adaptive Equalization in Microwave Digital Radio, A, **64** (1985) 907–935
Simultaneous resource possession, blocking system with, **64** (1985) 1807–1856
Single-Chip Implementation of Feature Measurement for LPC-Based Speech Recognition, **64** (1985) 1787–1805
Single-Frame Vowel Recognition Using Vector Quantization With Several Distance Measures, **64** (1985) 2319–2330
Sloane, N. J. A., **64** (1985) 1005–1018
Smith, D. P., **64** (1985) 1417–1437
Smith, T. L., **64** (1985) 229–249
Snyder, B. E., **64** (1985) 1523–1536
Software development tools, System 75, **64** (1985) 287–304
Software, switch services, System 75, **64** (1985) 197–212
Sojourn Time Distribution in a Multiprogrammed Computer System, **64** (1985) 1077–1090
Some Properties of Continuous Hidden Markov Model Representations, **64** (1985) 1251–1270
Sondhi, M. M., **64** (1985) 1211–1234, 1251–1270
Soong, F. K., **64** (1985) 1047–1063, 2319–2330
Sound pickup in large rooms, automatic, electronic steering of microphone arrays for improving, **64** (1985) 983–995
Space diversity and adaptive equalization in microwave digital radio, simulation study of, **64** (1985) 907–935
Space diversity combining in microwave digital radio, new approach to, **64** (1985) 885–904
Spatial radiation patterns, antenna, with application to the pyramidal horn-reflector antenna, simple analytical representation of, **64** (1985) 1601–1624
Speaker-dependent, single-frame, vector quantization-based, vowel recognition for different distance measures, **64** (1985) 2319–2330
Speaker-independent, isolated-word recognition, incorporation of temporal structure into a vector-quantization-

based preprocessor for, **64** (1985) 1047–1063
Speaker-independent word recognition system study, **64** (1985) 423–451
Specification of BX.25 link layer protocol, proposed, **64** (1985) 559–596
Specification translation automation to programs, inverted decision tables and their application, **64** (1985) 533–558
Speech coding, use of vector quantization in, **64** (1985) 1033–1045
Speech, μ-law PCM, variable-length packetization of, **64** (1985) 1271–1292
Speech recognition
automatic, **64** (1985) 423–451
distance measures in, **64** (1985) 2319–2330
LPC-based, single-chip implementation of feature measurement for, **64** (1985) 1787–1805
Spencer, A. E., Jr., **64** (1985) 1305–1314
Spread spectrum in indoor, wireless communication
performance of low-complexity channel coding and diversity for, **64** (1985) 1927–1965
performance of nondiversity receivers for, **64** (1985) 1181–1210
Spread spectrum multiple access digital radio system, performance of low-complexity channel coding and diversity for, **64** (1985) 1927–1965
SSMA *See* Spread spectrum multiple access
S system of data analysis, design of, **64** (1985) 2131–2151
Staehler, R., **64** (1985) 1339–1356
Stand-alone, local, toll, and private network applications of *5ESS*™ switching system, **64** (1985) 1305–1558
Statistical approach to laser certification, submarine lightwave cable systems, **64** (1985) 765–770
Statistical Model for Amplitude and Delay of Selective Fading, **64** (1985) 2525–2550
Status in a packet network in heavy traffic, unintrusive communication of, **64** (1985) 463–479
Stecher, L. C., **64** (1985) 1357–1384
Steele, R., **64** (1985) 1271–1292
Stochastic model for accumulation of jitter, **64** (1985) 43–76
Stochastic observations, mixture multivariate, of Markov chains, maximum-likelihood estimation for, **64** (1985) 1235–1249
Study on the Ability to Automatically Recognize Telephone-Quality Speech From Large Customer Populations, A, **64** (1985) 423–451
Stump, H. T., **64** (1985) 533–558
Submarine cable systems, 1.3-μm laser reliability determination for, **64** (1985) 771–807
Submarine lightwave cable systems
assuring high reliability of lasers and photodetectors for, **64** (1985) 661–882
reliability of InGaAs photodiodes for, **64** (1985) 861–882
Subpixel accuracy, new light pen with, **64** (1985) 1065–1075
Sun, J. H., **64** (1985) 197–212
Sundburg, W. J., **64** (1985) 809–860
Swartwout, D., **64** (1985) 2037–2060
Switching modules
5ESS™ switching system, **64** (1985) 1339–1356
two rearrangeably nonblocking photonic, traffic capabilities of, **64** (1985) 2331–2373
Switch service software, System 75, **64** (1985) 197–212
System designers' model to predict component and equipment reliability, **64** (1985) 15–31
System development environment, *5ESS*™ switching system, **64** (1985) 1485–1502
System management, System 75, **64** (1985) 213–228
System 75 Digital Communications System
Acronyms and Abbreviations, **64** (1985) 333–334
Communications and Control Architecture, **64** (1985) 153–173
GAMUT: A Message Utility System for Automatic Testing, **64** (1985) 305–320
Introduction Activities and Results, **64** (1985) 321–332
Introduction and Overview, **64** (1985) 145–151
Maintenance Architecture, **64** (1985) 229–249
Oryx/Pecos Operating System, The, **64** (1985) 251–268
Physical Architecture and Design, **64** (1985) 175–195
Project Development Environment, **64** (1985) 269–285
Software Development Tools, **64** (1985) 287–304
Switch Services Software, **64** (1985) 197–212
System Management, **64** (1985) 213–228
System 75 features, **64** (1985) 145–151
System test, first-office application, and early field experience, *5ESS*™

switching system, **64** (1985) 1503–1522
System, VCR-based access, for large pictorial databases, **64** (1985) 2435–2447

T

Table-driven program for data extraction, **64** (1985) 2025–2035
T—A Data Management System, **64** (1985) 2119–2129
TAT-8 submarine lightwave cable system, **64** (1985) 661–882
Teletraffic congestion problem, application of Laplace transform to, **64** (1985) 1755–1764
Temperature and electrical stress, effects on failure rate, **64** (1985) 15–31
Temporal structure incorporation into a vector-quantization-based preprocessor for speaker-independent, isolated-word recognition, **64** (1985) 1047–1063
Terrestrial radio transmission, self-orthogonal convolutional codec for, **64** (1985) 1625–1637
Testing
  factory system, *5ESS*™ switching system, **64** (1985) 1537–1558
  fiber proof for undersea lightguide cable, **64** (1985) 971–982
Theriot, E. J., **64** (1985) 1417–1437
Thermal Buckling of Dual-Coated Fiber, **64** (1985) 1565–1584
Thompson, R. A., **64** (1985) 2331–2373
Three-dimensional motion, algorithms for estimation of, **64** (1985) 335–346
Time-critical tasks, analysis of clocked schedules, **64** (1985) 633–660
Time distribution, sojourn, in a multiprogrammed computer system, **64** (1985) 1077–1090
Token-ring LANs, application of decomposition principle in M/G/1 vacation model to two continuum cyclic queueing models, **64** (1985) 1091–1099
Toll, local, private networks, and standalone applications of *5ESS*™ switching system, **64** (1985) 1305–1558
Tone Location by Cyclotomic Filters, **64** (1985) 1161–1180
Tool to build integrated, interactive application software, interpretive frame system, **64** (1985) 2097–2117
Topologies, regular mesh, in local and metropolitan area networks, **64** (1985) 1659–1685
Tracing Protocols, **64** (1985) 2413–2433
Traffic Capabilities of Two Rearrangeably Nonblocking Photonic Switching Modules, **64** (1985) 2331–2373
Transatlantic optical fiber submarine cable system, TAT-8, **64** (1985) 661–882
Transferring files between heterogeneous systems, **64** (1985) 2387–2411
Transform inequalities, Laplace, with application to queueing, **64** (1985) 1755–1764
Translation of specifications to programs, automating, inverted decision tables and their application, **64** (1985) 533–558
Transmission
  digital, over cross-coupled linear channels, **64** (1985) 1147–1159
  digital, over dually polarized multipath fading channels, cross-polarization cancellation and equalization in, **64** (1985) 2211–2245
  dual-polarized, of M-QAM signals over fading multipath channels, performance signatures for, **64** (1985) 2485–2504
Trellis code, eight-state, four-dimensional modulation with, **64** (1985) 1005–1018
Tull, M. P., **64** (1985) 1537–1558
Turbulent atmosphere, analysis of laser beam propagation in, **64** (1985) 1585–1600
Turin, W., **64** (1985) 2375–2385
Two-fingered controlled impedance gripper, **64** (1985) 937–969
Two processes, optimal resource allocation for, **64** (1985) 1–14
Two rearrangeably nonblocking photonic switching modules, traffic capabilities of, **64** (1985) 2331–2373
Typical business problem in telecommunications industry, use of ANALYTICOL in solving, **64** (1985) 1995–2007

U

Undersea lightguide cable, determination of fiber proof-test stress for, **64** (1985) 971–982
Unintrusive Communication of Status in a Packet Network in Heavy Traffic, **64** (1985) 463–479
Union Bounds on Viterbi Algorithm Performance, **64** (1985) 2375–2385
UNIX™ operating system
  ANALYTICOL environment based on, **64** (1985) 1995–2007
  data extraction using, **64** (1985) 2025–2035

data management system, T, running under, **64** (1985) 2119–2129
form editor based on, **64** (1985) 2009–2023
use of datastream language for performing computations on large data files in, **64** (1985) 2037–2060
use of HEQS in, **64** (1985) 2061–2096
use of S system on, **64** (1985) 2131–2151
Useable bandwidth and beamwidth of delay-steered microphone arrays, **64** (1985) 983–995
Use of Vector Quantization for Connected-Digit Recognition, On the, **64** (1985) 1033–1045

V

Van Haften, D., **64** (1985) 1537–1558
Varaiya, P., **64** (1985) 1–14
Variable-Length Packetization of μ-Law PCM Speech, **64** (1985) 1271–1292
VCR-Based Access System for Large Pictorial Databases, A, **64** (1985) 2435–2447
VCR-based information system, **64** (1985) 2435–2447
Vector-quantization-based preprocessor for speaker-independent, isolated-word recognition, incorporation of temporal structure into, **64** (1985) 1047–1063
Vector quantization for connected-digit recognition, **64** (1985) 1033–1045
Vector quantization with several distance measures, single-frame vowel recognition using, **64** (1985) 2319–2330
Videocassette recorder *See* VCR
Visual capabilities of form editor system, **64** (1985) 2009–2023
Viterbi algorithm performance, union bounds on, **64** (1985) 2375–2385
Vo, K.-P., **64** (1985) 2097–2117
Voice and data communication needs of medium-sized customers, System 75, **64** (1985) 145–334
Voice/data/video network, broadband, on CATV systems, homenet, **64** (1985) 347–367
Vowel recognition, single-frame, using vector quantization with several distance measures, **64** (1985) 2319–2330

W

Waiting Time Convexity in the M/G/1 Queue, **64** (1985) 33–41
Wang, T. L., **64** (1985) 269–285
Weiss, C. D., **64** (1985) 145–151
Werner, J. J., **64** (1985) 91–113, 115–138
Whitt, W., **64** (1985) 1807–1856
Williams, J. R., **64** (1985) 1385–1416
Wilpon, J. G., **64** (1985) 423–451
Wilson, R. B., **64** (1985) 1857–1884
Wilt, D. P., **64** (1985) 1857–1884
Wireless indoor communication
performance of low-complexity channel coding and diversity for spread spectrum in, **64** (1985) 1927–1965
performance of nondiversity receivers for spread spectrum in, **64** (1985) 1181–1210
Woodland, H. K., **64** (1985) 213–228
Woodworth, C. B., **64** (1985) 2281–2317
Word recognition, speaker-independent, isolated, incorporation of temporal structure into a vector-quantization-based preprocessor for, **64** (1985) 1047–1063
Wyatt, F. E., **64** (1985) 153–173

Y

Yanofchick, R. J., **64** (1985) 2119–2129
Yeh, Y. S., **64** (1985) 885–904, 907–935
Yoo, S. W., **64** (1985) 2505–2523
Yue, O., **64** (1985) 2435–2447

Z

Zdan, D. W., **64** (1985) 1439–1483

1985 CONTENTS

January, Part 1

Optimal Resource Allocation for Two Processes 1
C. Courcoubetis and P. Varaiya

An Infant Mortality and Long-Term Failure Rate Model for Electronic Equipment 15
D. P. Holcomb and J. C. North

Waiting Time Convexity in the M/G/1 Queue 33
D. L. Jagerman

Accumulation of Jitter: A Stochastic Model 43
C. Chamzas

Nonlocal Input-Output Expansions 77
I. W. Sandberg

Effects of Channel Impairment on the Performance of an In-band Data-Driven Echo Canceler 91
J. J. Werner

Effects of Biases on Digitally Implemented Data-Driven Echo Cancelers 115
J. M. Cioffi and J. J. Werner

Papers by AT&T Bell Laboratories Authors 139

Contents, February Issue 143

January, Part 2

SYSTEM 75 DIGITAL COMMUNICATIONS SYSTEM

C. D. Weiss, Guest Editor

Introduction and Overview 145
A. Feiner, E. J. Rodriguez, and C. D. Weiss

Communications and Control Architecture 153
L. A. Baxter, P. R. Berkowitz, C. A. Buzzard, J. J. Horenkamp, and F. E. Wyatt

Physical Architecture and Design 175
A. S. Loverde, H. D. Frisch, C. R. Lindemulder, and D. Baker

Switch Services Software 197
W. Densmore, R. J. Jakubek, M. J. Miracle, and J. H. Sun

System Management 213
H. K. Woodland, G. A. Reisner, and A. S. Melamed

Maintenance Architecture 229
K. S. Lu, J. D. Price, and T. L. Smith

The Oryx/Pecos Operating System 251
G. R. Sager, J. A. Melber, and K. T. Fong

Project Development Environment 269
T. S. Kennedy, D. A. Pezzutti, and T. L. Wang

Software Development Tools 287
T. J. Pedersen, J. E. Ritacco, and J. A. Santillo

GAMUT: A Message Utility System for Automatic Testing 305
C. J. Lake, J. J. Shanley, and S. M. Silverstein

Introduction Activities and Results 321
M. A. McFarland and J. A. Miller

Acronyms and Abbreviations 333

February, Part 1

Algorithms for Estimation of Three-Dimensional Motion 335
A. N. Netravali and J. Salz

Homenet: A Broadband Voice/Data/Video Network on CATV Systems 347
M. Hatamian and E. G. Bowen

Analysis of a Multistage Queue 369
B. T. Doshi and K. M. Rege

A Probabilistic Distance Measure for Hidden Markov Models 391
B.-H. Juang and L. R. Rabiner

A Conditional Response Time of the M/M/1 Processor-Sharing Queue 409
B. Sengupta and D. L. Jagerman

A Study on the Ability to Automatically Recognize Telephone-Quality Speech From Large Customer Populations 423
J. G. Wilpon

Papers by AT&T Bell Laboratories Authors 453

Contents, March Issue 461

Errata 462

February, Part 2

COMPUTING SCIENCE AND SYSTEMS

Unintrusive Communication of Status in a Packet Network in Heavy Traffic 463
G. J. Foschini

A Note on Discrete Representation of Lines 481
M. D. McIlroy

Models for Configuring Large-Scale Distributed Computing Systems 491
B. Gavish

Inverted Decision Tables and Their Application: Automating the Translation of Specifications to Programs 533
L. S. Levy and H. T. Stump

Proposed Specification of BX.25 Link Layer Protocol 559
R. P. Kurshan

Approximate Analysis of a Generalized Clocked Schedule 597
A. A. Fredericks, B. L. Farrell, and D. F. DeMaio

Numerical Computation of Delays in Clocked Schedules 617
M. H. Ackroyd

Analysis of Clocked Schedules—High-Priority Tasks 633
B. T. Doshi

March

ASSURING HIGH RELIABILITY OF LASERS AND PHOTODETECTORS FOR SUBMARINE LIGHTWAVE CABLE SYSTEMS

Introduction 661
R. L. Easton, R. L. Hartman, and F. R. Nash

Selection of a Laser Reliability Assurance Strategy for a Long-Life Application 671
F. R. Nash, W. B. Joyce, R. L. Hartman, E. I. Gordon, and R. W. Dixon

Methodology of Accelerated Aging 717
W. B. Joyce, K. Y. Liou, F. R. Nash, P. R. Bossard, and R. L. Hartman

A Statistical Approach to Laser Certification 765
A. R. Eckler

1.3-μm Laser Reliability Determination for Submarine Cable Systems 771
B. W. Hakki, P. E. Fraley, and T. F. Eltringham

Implementation of the Proposed Reliability Assurance Strategy for an InGaAsP/InP, Planar Mesa, Buried Heterostructure Laser Operating at 1.3 μm for Use in a Submarine Cable 809
F. R. Nash, W. J. Sundburg, R. L. Hartman, J. R. Pawlik, D. A. Ackerman, N. K. Dutta, and R. W. Dixon

Reliability of InGaAs Photodiodes for SL Applications 861
R. H. Saul, F. S. Chen, and P. W. Shumate

Contents, April Issue 883

April

A New Approach to Space Diversity Combining in Microwave Digital Radio 885
Y. S. Yeh and L. J. Greenstein

A Simulation Study of Space Diversity and Adaptive Equalization in Microwave Digital Radio 907
L. J. Greenstein and Y. S. Yeh

A Controlled Impedance Robot Gripper 937
M. K. Brown

Determination of Fiber Proof-Test Stress for Undersea Lightguide Cable 971
T. C. Chu and H. C. Chandan

Beamwidth and Useable Bandwidth of Delay-Steered Microphone Arrays 983
J. L. Flanagan

Papers by AT&T Bell Laboratories Authors 997

Contents, May–June Issue 1003

May–June

Four-Dimensional Modulation With an Eight-State Trellis Code 1005
A. R. Calderbank and N. J. A. Sloane

100-GHz Measurements of Two Astigmatic Launchers 1019
R. A. Semplak

On the Use of Vector Quantization for Connected-Digit Recognition 1033
S. C. Glinski

Incorporation of Temporal Structure Into a Vector-Quantization-Based Preprocessor for Speaker-Independent, Isolated-Word Recognition 1047
A. F. Bergh, F. K. Soong, and L. R. Rabiner

COMPUTING SCIENCE AND SYSTEMS

A New Light Pen With Subpixel Accuracy 1065
M. Hatamian and E. F. Brown

Sojourn Time Distribution in a Multiprogrammed Computer System 1077
K. M. Rege and B. Sengupta

Application of Decomposition Principle in M/G/1 Vacation Model to Two Continuum Cyclic Queueing Models—Especially Token-Ring LANs 1091
S. W. Fuhrmann and R. B. Cooper

PLACE 2.0—An Interactive Program for PLL Analysis and Design 1101
J. H. Saunders

Papers by AT&T Bell Laboratories Authors 1135

Contents, July–August Issue 1143

Errata 1145

July–August, Part 1

Digital Transmission Over Cross-Coupled Linear Channels 1147
J. Salz

Tone Location by Cyclotomic Filters 1161
D. Hertz, R. P. Kurshan, D. Malah, and J. T. Peoples

Performance of Nondiversity Receivers for Spread Spectrum in Indoor Wireless Communications 1181
M. Kavehrad

Recognition of Isolated Digits Using Hidden Markov Models With Continuous Mixture Densities 1211
L. R. Rabiner, B.-H. Juang, S. E. Levinson, and M. M. Sondhi

Maximum-Likelihood Estimation for Mixture Multivariate Stochastic Observations of Markov Chains 1235
B.-H. Juang

Some Properties of Continuous Hidden Markov Model Representations 1251
L. R. Rabiner, B.-H. Juang, S. E. Levinson, and M. M. Sondhi

Variable-Length Packetization of μ-Law PCM Speech 1271
R. Steele and F. Benjamin

Papers by AT&T Bell Laboratories Authors 1293

July–August, Part 2

THE *5ESS* SWITCHING SYSTEM

W. S. Hayward, Jr., *Guest Editor*

Introduction 1305
K. E. Martersteck and A. E. Spencer, Jr.

Applications Planning 1315
W. R. Byrne and G. P. O'Reilly

Architectural Overview 1339
D. L. Carney, J. I. Cochrane, L. J. Gitten, E. M. Prell, and R. Staehler

Operational Software 1357
J. P. Delatore, R. J. Frank, H. Oehring, and L. C. Stecher

Maintenance Capabilities 1385
G. Haugk, F. M. Lax, R. D. Royer, and J. R. Williams

Hardware Design 1417
J. C. Borum, J. Janik, Jr., R. F. Metz, J. Russell, D. P. Smith, and E. J. Theriot

Physical Design/Hardware 1439
F. N. Graff, Jr., C. E. Jeschke, C. R. Komp, B. E. Nevis, and D. W. Zdan

System Development Environment 1485
R. G. Basinger, J. A. Herndon, B. Kaskey, J. A. Lindner, and J. M. Milner

System Test, First Office Application, and Early Field Experience 1503
H. A. Bauer, L. M. Croxall, and E. A. Davis

Operations, Administration, and Maintenance Capabilities 1523
P. T. Fuhrer, L. J. Gitten, B. A. Newman, and B. E. Snyder

Factory System Testing 1537
J. P. Delatore, M. P. Tull, and D. Van Haften

Acronyms and Abbreviations 1559

September

Thermal Buckling of Dual-Coated Fiber 1565
T. A. Lenahan

Analysis of Laser Beam Propagation in a Turbulent Atmosphere 1585
R. H. Clarke

Simple Analytical Representation of Antenna Spatial Radiation Patterns With Application to the Pyramidal Horn-Reflector Antenna 1601
J. Shapira

Convolutional Coding for High-Speed Microwave Radio Communications 1625
M. Kavehrad

Criteria for the Global Existence of Functional Expansions for Input/Output Maps 1639
I. W. Sandberg

Regular Mesh Topologies in Local and Metropolitan Area Networks 1659
N. F. Maxemchuk

Bandwidth-Error Exchange for a Simple Fading Channel Model 1687
B. F. Logan, Jr.

A Large-Scale Distribution and Location Model 1705
J. G. Klincewicz

A Priority-Based Admission Scheme for a Multiclass Queueing System 1731
K. M. Rege and B. Sengupta

Laplace Transform Inequalities With Application to Queueing 1755
D. L. Jagerman

Papers by AT&T Bell Laboratories Authors 1765

Contents, October Issue 1773

October

Almost-Periodic Response Determination for Models of the Basilar Membrane 1775
I. W. Sandberg and J. B. Allen

Single-Chip Implementation of Feature Measurement for LPC-Based Speech Recognition 1787
J. G. Ackenhusen and Y. H. Oh

Blocking When Service Is Required From Several Facilities Simultaneously 1807
W. Whitt

Performance Comparison of InGaAsP Lasers Emitting at 1.3 μm and 1.55 μm for Lightwave System Applications 1857
N. K. Dutta, R. B. Wilson, D. P. Wilt, P. Besomi, R. L. Brown, R. J. Nelson, and R. W. Dixon

Equalizing Without Altering or Detecting Data 1885
G. J. Foschini

Baseband Cross-Polarization Interference Cancellation for M-Quadrature Amplitude-Modulated Signals Over Multipath Fading Radio Channels 1913
M. Kavehrad

Performance of Low-Complexity Channel Coding and Diversity for Spread Spectrum in Indoor, Wireless Communication 1927
M. Kavehrad and P. J. McLane

Nonlinear Input-Output Maps and Approximate Representations 1967
I. W. Sandberg

Papers by AT&T Bell Laboratories Authors 1985

Contents, November Issue 1993

November

ANALYTICOL

ANALYTICOL—An Analytical Computing Environment 1995
C. Childs and C. R. Meacham

FE—A Multi-Interface Form System 2009
R. M. Prichard, Jr.

Data Extraction Tools 2025
D. G. Belanger and C. M. R. Kintala

Datastream—A Language for Large Files 2037
D. Swartwout

HEQS—A Hierarchical Equation Solver 2061
E. Derman and E. G. Sheppard

IFS—A Tool to Build Integrated, Interactive Application Software 2097
K.-P. Vo

T—A Data Management System 2119
R. J. Yanofchick

Design of the S System for Data Analysis 2131
R. A. Becker and J. M. Chambers

December

Coherent Lightwave Communications 2153
J. Salz

Cross-Polarization Cancellation and Equalization in Digital Transmission Over Dually Polarized Multipath Fading Channels 2211
M. Kavehrad and J. Salz

Cross-Polarization Interference Cancellation and Nonminimum Phase Fades 2247
M. Kavehrad

Analysis/Simulation Study of Cross-Polarization Cancellation in Dual-Polarization Digital Radio 2261
L. J. Greenstein

A Laboratory Simulation Facility for Multipath Fading Microwave Radio Channels 2281
A. J. Rustako, Jr., C. B. Woodworth, R. S. Roman, and H. H. Hoffman

Single-Frame Vowel Recognition Using Vector Quantization With Several Distance Measures 2319
L. R. Rabiner and F. K. Soong

Traffic Capabilities of Two Rearrangeably Nonblocking Photonic Switching Modules 2331
R. A. Thompson

Union Bounds on Viterbi Algorithm Performance 2375
W. Turin

A New File Transfer Protocol 2387
S. Aggarwal, K. Sabnani, and B. Gopinath

Tracing Protocols 2413
G. J. Holzmann

A VCR-Based Access System for Large Pictorial Databases 2435
K. Y. Eng, O. Yue, B. G. Haskell, and C. Grimes

A Broadband Local Area Network 2449
A. N. Netravali and Z. L. Budrikis

On Binary Differential Detection for Coherent Lightwave Communication 2467
J. E. Mazo

Performance Signatures for Dual-Polarized Transmission of M-QAM Signals Over Fading Multipath Channels 2485
M. Kavehrad and C. A. Siller, Jr.

An Algebraic Approach to a Nonproduct Form Network 2505
S. W. Yoo

Statistical Model for Amplitude and Delay of Selective Fading **2525**
P. Balaban

Letter to the Editor **2551**

Papers by AT&T Bell Laboratories Authors **2553**